

Anti-Wrinkle Injections :

When considering treatment with botulinum toxin we want you to have a safe treatment.

Some risks are unavoidable and out of your control. The following information should allow you to know what to expect and what you should ask of your doctor.

What is Botulinum Toxin Type A?

Botulinum toxin is a naturally occurring protein produced by the bacterium *Clostridium Botulinum*. In a purified form, as is the case with many drugs/medications such as Penicillin, Botulinum toxin is a very safe, effective treatment not only used in cosmetic clinics, but also for a number of medical conditions, including migraine and excessive sweating.

All botulinum toxins are prescription only medicines and can only be prescribed by register doctors in Australia, following a face-to-face assessment and consultation with the qualified prescriber.

How does it work?

The toxin blocks the transition of chemical messages sent from the nerve to cause the muscle to contract. Without these messages, the muscle stays in a resting state until the 'messengers' recover. The aim of this treatment is to significantly reduce the movement of the muscles causing expression lines (dynamic lines). It may not cause the expression lines themselves to disappear completely, this will depend upon the quality of your skin and may take time over a course of treatments.

It may not 'completely freeze' the expression, particularly if extreme effort is exerted to make an expression.

Botulinum toxin is not suitable for lines present without expression (static lines), your doctor will advise you.

There may be only a partial reduction in movement this very much depends on the amount administered and location of product placement – This is not a one size fits all treatment and may be tailored to suit your individual requirements and expected treatment outcomes – discuss this with your clinician at the time of consultation.

Does it hurt?

A very fine needle is used and generally this treatment is not painful and can be well tolerated with no anaesthetic. Ice may be helpful in numbing the skin for nervous patients as well as reducing the risk of a bruise.

Checklist:

- ✓ Do not feel pressured to make any quick decisions.
- ✓ Do be honest about your medical history; in particular any previous facial surgery as this may alter the anatomy under the skin.
- ✓ Any medications you are taking, some may affect the way the treatment works.
- ✓ Any current illness or long-term conditions that you have.
- ✓ Any diagnosed neurological conditions; some may increase your risk of complications and how you recover from them.

- ✓ Do be honest about your expectations
- ✓ Do listen to the practitioner's explanation of possible risks, side effects and complications, previous positive experience does not indicate protection or immunity from the risks described.

Do not schedule your treatment when you have an important event or holiday/trip planned within 4 weeks.

Should you have a problem, your practitioner will need to see you in order to provide corrective treatment or advise you.

Before treatment :

- ✓ All make up will need to be removed prior to treatment, attend 'fresh faced' if possible. Contamination with makeup can cause infection.
- ✓ Taking the following within 72 hours of treatment may increase your risk of bruising – Alcohol, Aspirin, St. John's Wort, Gingko Biloba.
- ✓ Do cancel if you are at all unwell, even strong coughs and colds can increase your risk of post treatment complications.
- ✓ Do contact us to discuss any illness or new medicines prior to attending.

After treatment:

Most people are able to continue with normal activities. Some will have some redness, pin-prick marks, possibly minor swelling which should settle within an hour.

Bruising may be more apparent the next day and can take up to 10 days to fade.

Tenderness should settle within 48 hours. It is possible to suffer a headache or a sensation of tightness or heaviness for a few days following treatment.

Pain killers may be taken as required.

After treatment it is expected that you will start to see an improvement within 2 or 3 days.

The full result may be judged at 2-3 weeks.

You may be invited to attend a review appointment at 2 weeks where the success of the treatment may be assessed and adjustments to your personal treatment plan made if necessary.

Results tend to last approximately 3-5 months. Movement will begin recovering from 8 weeks.

Frequent treatment at intervals of less than 3 months is NOT recommended.

- ✓ Make-up should not be worn for 12 hours' and the skin should be kept clean, with normal cleansing. Do not use cleansing wipes which may irritate the skin.
- ✓ Avoid extremes of heat or cold, vigorous exercise, rubbing or wearing tight hats or headgear the day of treatment.
- ✓ Keep using your expressions, the toxin is attracted to active muscles.

Is it safe?

All treatments carry a degree of risk. All risks and complications will be discussed with you at consultation and prior to any treatment being agreed. Botulinum Toxin should be

administered by a healthcare professional with specialist training. Adverse events are uncommon, usually occur within a few days of treatment and are expected to be temporary, usually resolving spontaneously within weeks.

Your practitioner will provide aftercare advice designed to minimise risk and promote speedy recovery from any expected side effects.

Side effects include, but are not limited to:

- ✓ Bruising
- ✓ Swelling at injection sites
- ✓ Redness at injection sites
- ✓ Asymmetry of expression
- ✓ Drooping of the brow, or eyelid
- ✓ Headache or a sensation of 'tightness' or 'heaviness'

Am I suitable for treatment?

Your practitioner will take a detailed medical history and an assessment of your needs and expectations to ensure this is an appropriate treatment for you.

For best results skin should be in good condition and the target lines not too furrowed. Your practitioner will assess your suitability and advise.

- ✓ Botulinum toxin cannot be given to pregnant or breast feeding women.
- ✓ Not suitable for patients with certain neurological disorders.
- ✓ Not suitable if you are currently taking certain medicines.
- ✓ If you have previously experienced adverse reactions to any botulinum toxin treatment.
- ✓ Treatment is not recommended if you are suffering from any skin infection in or near the treatment area or are unwell in any way.
- ✓ If you are taking any medicines which affect bleeding, such as aspirin or warfarin.
- ✓ If you are currently or have recently completed a course of Roaccutane (acne treatment) in the last 18 months.